

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S38	0	bus with controller with receiv\$4 with rate with from with (accessor\$2 or peripheral\$1 or client\$1 or handset \$1 or user\$1 or terminal\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 21:10
S39	0	controller with receiv\$4 with rate with from with (accessor\$2 or peripheral\$1 or client\$1 or handset \$1 or user\$1 or terminal\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 21:10
S40	0	bus with receiv\$4 with rate with from with (accessor\$2 or peripheral\$1 or client\$1 or handset \$1 or user\$1 or terminal\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 21:10
S41	56	bus with controller with receiv\$4 with rate with (accessor \$2 or peripheral\$1 or client\$1 or handset\$1 or user \$1 or terminal\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 21:10
S42	12	bus with controller with receiv\$4 with bandwidth with (accessor\$2 or peripheral\$1 or client\$1 or handset \$1 or user\$1 or terminal\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 21:10

S44	178	(headset with bus \$1 with interface)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 21:10
S45	5	S43 and S44	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 21:10
S46	85	(headset with (monitor\$4 status test\$4) with (accessor\$3 device \$1 PDA peripheral \$1)) and ((phone \$1 telephone\$1 headset) near4 (interface\$1 adapter\$1)) and (headset with (message signal \$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 21:10
S47	17	S46 and ("370."\$.ccls. "379"/\$.ccls. "375"\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 21:10
S48	10	((phone\$1 telephone\$1) and headset and (interface\$1 adapt \$4) and packet\$1 and (monitor\$4 status)).clm.	US-PGPUB	OR	ON	2009/07/28 21:11
S49	25	(headset with (monitor\$4 status) with (accessor\$3 device\$1 peripheral \$1)) and ((phone \$1 telephone\$1 headset) near4 adapter\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 21:11

S50	31	(headset with (monitor\$4 status)) and (headset with (interconnect\$4 connect\$5)) and ((phone\$1 telephone\$1) near4 adapter\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 21:11
S52	38	(headset with (monitor\$4 status current\$2) with (accessor\$3 device \$1 peripheral\$1 light\$3)) same ((phone\$1 telephone\$1 headset) near4 (adapter\$1 interfac \$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/07/30 17:37
S54	0	((phone\$1 telephone\$1) and headset and (interface\$1 adapter\$1) and (accessor\$3 device \$1 PDA peripheral \$1) and ((monitor \$4 status) near (message\$1 signal \$4))).clm.	US-PGPUB	OR	ON	2009/07/30 18:18
S56	0	((phone\$1 telephone\$1) and headset and (interface\$1 adapter\$1) and (accessor\$3 device \$1 PDA peripheral \$1) and ((monitor \$4 status) adj (message\$1 signal \$4))).clm.	US-PGPUB	OR	ON	2009/07/30 18:19

S57	0	((phone\$1 telephone\$1) and headset and (interface\$1 adapter\$1) and (accessor\$3 device \$1 PDA peripheral \$1) and ((message \$1 signal\$4) adj (monitor\$4 status))).clm.	US-PGPUB	OR	ON	2009/07/30 18:20
-----	---	--	----------	----	----	---------------------

8/ 2/ 2009 11:05:58 PM

**C:\ Documents and Settings\ thoang2\ My Documents\ EAST\ Workspaces\ 09401070.
wsp**